



A 501(c)(3) Public Charity | EIN 27-3058379

Helping Families Help Their Kids to  
Connect to the World....4 Paws at a Time

4065 SW Pendant Dr  
Lee's Summit, MO 64063

## COVID 19 / Pandemic Protocols

Approved by the Board 8/8/2020:

### In addition to CDC guidelines (attached);

All Paws4Autism pups must be bathed at least once a week, more if needed.

Anyone besides handlers touching the pups (schools/hospitals) must use hand sanitizer beforehand. Those pups in school or hospital setting should sanitize at least every 2-3 hours.

All pups must be wiped down or sprayed with a pet safe antibacterial before going out into public and also when finished.

All handlers will keep close tabs on the health of their pups and notify Terri immediately with any concerns.

SaniPet spray is available on Amazon or at Pet Supplies Plus for \$15/bottle. We are trying to secure a lower price/donation. I have individually wrapped sanitizing wipes (for people only) available at no cost to our handlers. I'm still looking for pet safe wipes.

<https://www.cdc.gov/coronavirus/2019-ncov/animals/service-therapy-animals.html>

Graciously,

Terri Wible

Executive Director - Paws 4 Autism

**EVERYTHING IS  
PAWSABLE**

# Guidance for Handlers of Service and Therapy Animals

Updated June 16, 2020

We are still learning about the virus that causes COVID-19, but it appears that the virus can spread from people to animals in some situations. CDC is aware of a small number of pets, including dogs and cats, [reported](#) to be infected with the virus that causes COVID-19, mostly after close contact with people infected with COVID-19.

If you have a service or therapy animal, follow your local guidance for acceptable business and social practices. Consider local levels of COVID-19 transmission when evaluating the risk to yourself, your animal, and the people you might come into contact with.

Follow CDC's [general recommendations for protecting pets](#) from infection, when possible. For example, avoid unnecessary contact with people or other animals outside the household. Use your best judgment when taking an animal into a location where it could be exposed to COVID-19.

[Service animals](#) are defined as dogs that are individually trained to do work or perform tasks for people with disabilities. A [therapy animal](#) is used in a type of animal-assisted intervention. In this case, in a goal-directed intervention in which an animal meeting specific criteria is an integral part of the treatment process.

In accordance with the [Americans with Disabilities Act](#), service animals must be permitted to remain with their handlers.

## Ways to protect service animals

- Service animals may need to be around other people and animals while working. When possible, both the handler and the animal should stay at least 6 feet away from others.
- If a service animal is sick, call a veterinarian, and do not go out in public with the animal.
- When possible, do not take a service animal into settings in which people are infected with COVID-19 or facilities where you cannot prevent interactions with people who may have COVID-19.
- Avoid contact between sick people and the service animal as much as possible. If contact cannot be avoided, the sick person should [wear a mask](#) when around the animal.

- CDC recommends that people wear masks in public settings and when around people who don't live in your household, especially when other [social distancing](#) measures are difficult to maintain.
- [Clean and disinfect](#) service animal collars, vests, leashes or harnesses, and other supplies frequently.
- Do not wipe or bathe service animals with chemical disinfectants, alcohol, hydrogen peroxide, or any other products not approved for animal use. There is no evidence that the virus can spread to people from the skin, fur, or hair of pets.
- Do not put masks on service animals. Covering an animal's face could harm them.

## Ways to protect therapy animals

Facilities that normally use therapy animals may not allow them at this time because people in many of these settings are at higher risk for serious illness with COVID-19. Follow local guidance and facility protocols for social distancing, masks, and other ways to prevent COVID-19 from spreading. If therapy animals are invited to a facility or other setting, follow the steps below.

- Therapy animal visits require some level of contact between clients and the therapy animal team. When possible, keep animals at least 6 feet away from people and animals not participating in the visit. Handlers and participants should wear a [mask](#) during the visit.
- Do not take therapy animals to visits if the animals are sick or have tested positive for the virus that causes COVID-19.
- When deciding if it is safe to visit a household, refer to CDC guidance on [When You Can be Around Others After You Had or Likely Had COVID-19](#).
- People with [symptoms of COVID-19](#) should not touch, be close to, or interact with therapy animals. If someone was sick with COVID-19, they should [wait until they recover](#) to interact with therapy animals.
- Before and after every contact, the handler and anyone petting or having contact with the animal should [wash their hands](#).
- Do not use items that multiple people handle, particularly if items are brought to multiple facilities between therapy visits (for example, leashes, harnesses, toys, or blankets). If items like leashes must be brought between facilities, [disinfect](#) them after each use or facility.
- Do not let other people handle items that go into the animal's mouth, such as toys and treats.
- [Disinfect](#) items such as toys, collars, leashes, harnesses, therapy vests and scarves, and food/water bowls frequently.
- Do not allow therapy animals to lick or give 'kisses'.

- Do not wipe or bathe therapy animals with chemical disinfectants, alcohol, hydrogen peroxide, or any other products not approved for animal use. There is no evidence that the virus can spread to people from the skin, fur, or hair of pets.
- Do not put masks on therapy animals. Covering an animal's face could harm the animal.

If you are a service or therapy animal handler, and you get sick with COVID-19 or have symptoms of COVID-19, follow [recommendations for what to do if you get sick](#) and [recommendations for protecting pets if you get sick](#).

If your service or therapy animal gets sick after contact with a person with COVID-19, call your veterinarian. If the animal tests positive for the virus that causes COVID-19, follow [recommendations for what to do if your pet tests positive](#).